

# JETTY

100% SOLUTION DYED POLYESTER

BOAT COVERS | BIMINIS | SPRAY DODGERS | UMBRELLAS





# A VERSATILE & LIGHTWEIGHT FABRIC DESIGNED FOR MARINE & OUTDOOR APPLICATIONS.

Jetty is engineered with 100% solution dyed polyester. The lightweight construction is ideal for fitted covers that need to be removed and stowed on a regular basis.

Jetty is available in two finishes. Standard Jetty features an impervious waterproof backing and is ideal for countless applications including marine covers, outdoor umbrellas and general-purpose applications. Jetty Plus includes a soft, non-woven backing to avoid rub marks when the cover is subject to wind-flap and movement.



## UV STABILISED

Jetty fabrics are UV stabilised which prevents them from fading under intense UV rays. It also increases the textiles' longevity and ensures easy cleaning.



## HIGH ABRASION RESISTANCE

Jetty fabrics have a high abrasion resistance, meaning the fabric can withstand the wearing down or rubbing away by means of friction.



## EXCELLENT STRENGTH TO WEIGHT RATIO

The strength to weight ratio of a given textile is the strength of the textile divided by the mass.



## WATERPROOF

Jetty fabrics are coated with a waterproof finish.



## MOULD & MILDEW RESISTANT

Jetty fabrics have been finished with a treatment that provides ease of maintenance by inhibiting mould and mildew growth. It also improves the textiles' longevity and makes for easy cleaning.



## PRINTABLE

Sturdy enough to flow through a printer, Jetty is a printable fabric which can be beneficial for commercial applications. (Not including Jetty Plus).



## 5-YEAR UV WARRANTY

Jetty fabrics are supported with a 5-year warranty. Comprehensive care details are available from Ricky Richards by request.

## APPLICATIONS



BOAT COVERS  
& HOODING




UMBRELLAS



OTHER COVER  
APPLICATIONS

# JETTY

Jetty is engineered with 100% solution-dyed polyester. The lightweight construction is ideal for fitted covers that need to be removed and stowed on a regular basis. Standard Jetty features an impervious waterproof backing.



BLACK

CHARCOAL

LIGHT GREY

NAVY BLUE

LINEN

WHITE

Tensile Strength  
(ASTM D4034-09) (Grab method)

Warp: 1750 N/50mm  
Weft: 1600 N/50mm

Tear Strength  
(ASTM D1424-09) (Falling pendulum method)

Warp: 61N  
Weft: 55N

152cm  
& 200cm

ROLL WIDTHS  
(SELECTED COLOURS)

50m

ROLL LENGTH

255gsm

NOMINAL WEIGHT

# JETTY+

Jetty Plus includes a soft, non-woven backing and is available in Black, Charcoal and Navy Blue colours.



BLACK

CHARCOAL

NAVY BLUE

Tensile Strength  
(ASTM D4034-09) (Grab method)

Warp: 1645 N/50mm  
Weft: 1465 N/50mm

Tear Strength  
(ASTM D1424-09) (Falling pendulum method)

Warp: 64N  
Weft: 64N

200cm

ROLL WIDTH

30m

ROLL LENGTH

380gsm

NOMINAL WEIGHT



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725  
02 9735 3333  
sales@rickyrichards.com.au  
rickyrichards.com.au

NOVEMBER 2023

Information contained in this brochure is accurate and based on the latest product information available at the time. Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information, we maintain the right to make changes as necessary.



 JETTY



 JETTY+